

VIBXPERT® II

FFT Data Collector & Signal Analyzer



• Fast data acquisition

• Powerful diagnostic tools

• Easy to use

• Six international awards

Turn to PRÜFTECHNIK

for innovative and proven technology

Pushing limits for 40 years, PRÜFTECHNIK presents VIBXPERT® II, the latest vibration data collector and signal analyzer based on sophisticated and refined technology.

A brilliant display yet long periods of use – VIBXPERT® II makes it possible.


VIBXPERT® II combines the proven features of its predecessor with the advantages of rapid processors and a brilliant energy-efficient color display. It demonstrates that the use of powerful components does not rule out low power consumption.

VIBXPERT® II is ...

- ▶ **Intuitive** to operate on its graphical user interface with effective use of color.
- ▶ **Fast** thanks to optimized measuring workflows and advanced processor technology.
- ▶ **Ergonomic** with a handy design and brilliant color display.
- ▶ **Powerful** due to many practical analysis functions and measuring templates.
- ▶ **Long-lived** with a long battery life and a large data memory.

Interfaces for every environment


Five industrial interfaces, color-coded for easy identification, connect to a wide variety of different sensor types and data links.




Meaningful icons offer guidance in selecting the measurement task.



Shaft vibration analysis with orbit, static shaft position and runout.



Narrow band and broadband monitoring of characteristic frequencies in the spectrum.



Simple to use with a wide range of applications

Setting standards in vibration data collection

VIBXPERT® II: Fast – ergonomic – user-friendly



Status LEDs

- ▶ Traffic light display for the evaluation of results according to the ISO standard or user-defined alarm thresholds
- ▶ Device and battery status

Ergonomic keyboard

- ▶ One-thumb operation
- ▶ Illumination automatically adjusts to ambient light
- ▶ Non-slip grip

Brilliant color display

- ▶ 18-bit TFT LCD
- ▶ VGA (480 x 640 pixels)
- ▶ Non-reflective
- ▶ Automatic switch-off

Sturdy housing

- ▶ Light and compact
- ▶ Protection class IP 65

Large data memory


- ▶ 2 GB CompactFlash card

Powerful Li-Ion battery


- ▶ 8-hour operating life
- ▶ Exchangeable

A waterfall spectrum visualizes changes in machine condition over time.

One- or two-channel coast-down test with RMS, amplitude or waterfall.



Field balancing in two planes. A 'smiley' appears when the balancing grade is reached.



Route-based data collection with a clear display of measuring locations.




Special VIBXPert® II features that simplify your work

Maximizing system availability – Optimizing production processes

Automatic Multiplexer Switch Box


Make your VIBXPert® II a mobile Online System by using the VIBRONET® Multiplexer as an automatic switch box for the instrument. One button press and up to 54 measurement locations can be recorded without any interaction. This is the perfect solution for fast and error free data collection at difficult to reach measurement locations. The Multiplexer solution is optionally also suitable for intrinsic safety areas.



One button press and multiple measurement locations can be recorded automatically with the Multiplexer – particularly practical when the locations are inaccessible.

Bar graph with three-color indicator


This simple diagnosis assistant will make your life easier: The three-color bar graph shows at a glance whether the machine is OK or if there is a problem. The example below shows a machine with an imbalance.




Automatic diagnoses simplify machine monitoring.

Advanced recording feature

Using VIBXPert® II as a 'temporary' online system, various measurement tasks can be recorded such as overall values, spectrum, orbits, phase, time waveform, etc. Several trigger conditions are available to automatically start and stop recording of measurement.



Recording of overall velocity signals, RMS, 0-p and p-p.



Transient event recording with the possibility of FFT post processing.


OMNITREND® – Condition Monitoring Software

Preparing, visualizing, archiving and exchanging data

Machine Status View

The three brilliant indicator colors of the machine status view keep you on top of the status of your machine park at all times. The display can be set to show absolute values or a percentage of the limit value.

A click on the bar graph opens the associated trend diagram that shows the rate at which damage, if any, has been developing.




Machine status view – all machine signals at a glance.


OMNITREND® software, multi-user or single-user

OMNITREND® manages machine data, programs measurement tasks and routes, and archives the results in a database (MS Access or MS SQL).

A wide range of evaluation and documentation functions are available. These are described more closely in the OMNITREND® brochure.



OMNITREND® supports the evaluation of collected machine data on a PC.



Fault diagnosis using frequency markers in the spectrum.

The report shows color-coded alarm classes.

VIBXPERT® II at a glance

Don't miss out on these great features

Versatile

- ▶ Route-based data collection
- ▶ Vibration diagnosis
- ▶ One- or two-plane field balancing
- ▶ Acceptance measurement with machine templates
- ▶ Troubleshooting
- ▶ Multimeter
- ▶ Data logging
- ▶ Visual inspection
- ▶ Print reports on USB stick
- ▶ EX version (optional)



Analysis in detail

- ▶ Characteristic overall values & process parameters
- ▶ Time waveform
- ▶ Amplitude/envelope spectrum
- ▶ Cepstrum
- ▶ Phase, cross-channel phase
- ▶ Orbit
- ▶ Static shaft position
- ▶ Runout analysis (shaft vibration)
- ▶ Bump test
- ▶ Coast-down/run-up test
- ▶ Order analysis
- ▶ Modal analysis
- ▶ Operating Deflection Shape Analysis (ODS)

- ▶ Transient capture
- ▶ Long-term recording
- ▶ Characteristic frequency markers
- ▶ Signal post-processing
- ▶ ISO standards for evaluation

Valuable additional features

- ▶ Handles multiple measurement points automatically (Multiplexer switch box)
- ▶ Printing of measurement reports
- ▶ Rugged hard case
- ▶ Extensive accessories
- ▶ Optional measuring functions enabled by a password

©Copyright 2012 by PRÜFTECHNIK AG. ISO 9001:2008 certified. VIBXPERT®, VIBRONET® and OMNITREND® are registered trademarks of PRÜFTECHNIK Dieter Busch AG. No copying or reproduction of this information, in any form whatsoever, may be undertaken without express written permission of PRÜFTECHNIK AG. The information contained in this leaflet is subject to change without further notice due to the PRÜFTECHNIK policy of continuous product development. PRÜFTECHNIK products are subject to patents granted or pending throughout the world.



PRÜFTECHNIK
Condition Monitoring GmbH
Oskar-Messter-Str. 19-21
85737 Ismaning
Germany
Tel: +49 89 99616-0
Fax: +49 89 99616-300
eMail: info@pruftechnik.com
www.pruftechnik.com

A member of the PRÜFTECHNIK Group

VIBXPERT® II Balancer

Field balancing – simple – fast – accurate



- Easy operation
- 1- or 2-plane field balancing
- Integrated machine diagnosis
- Upgradeable to VIBXPERT® II

Field balancing the intelligent way

VIBXPERT® II Balancer

VIBXPERT® II Balancer is a high performance, full-featured portable measurement device for field balancing of rotating machinery in one plane or two planes. In addition to the balancing procedure, the device provides vibration analyses, resonance tests and phase measurements to support the diagnosis of an imbalance and to determine the optimum operating conditions for the rotor.

VIBXPERT® II Balancer can be upgraded by password to the award-winning VIBXPERT® II FFT data collector & signal analyzer.

Analysis functions


- ▶ Overall values and process parameters
- ▶ Time waveform
- ▶ Amplitude spectrum
- ▶ Envelope acceleration spectrum
- ▶ Phase including recording
- ▶ Bump test, 1-channel
- ▶ Coast-down/run-up test
- ▶ ISO standards for evaluation



A 'smiley' appears when the required balancing grade is reached.




Balancing reports can be stored on a USB flash drive and printed out.




A fitting program for every balancing task.



Every step of the balancing procedure is explained.



Vibration analyses help you identify and eliminate machine faults.



One- or two-channel coast-down test with RMS, amplitude or waterfall.


© Copyright 2012 by PRÜFTECHNIK AG. ISO 9001:2008 certified. VIBXPERT® is a registered trademark of PRÜFTECHNIK Dieter Busch AG. No copying or reproduction of this information, in any form whatsoever, may be undertaken without express written permission of PRÜFTECHNIK AG. The information contained in this leaflet is subject to change without further notice due to the PRÜFTECHNIK policy of continuous product development. PRÜFTECHNIK products are the subject of patents granted or pending throughout the world. Printed in Germany.



PRÜFTECHNIK
 Condition Monitoring GmbH
 Oskar-Messter-Str. 19-21
 85737 Ismaning
 Germany
 Tel: +49 89 99616-0
 Fax: +49 89 99616-300
 eMail: info@pruftechnik.com
 www.pruftechnik.com

A member of the PRÜFTECHNIK group

6 awards for VIBXpert® II



► PRÜFTECHNIK Condition Monitoring GmbH designs, produces, sells and supports state-of-the-art product with international awards and worldwide acceptance



1

Product of the Year 2010, Plant Engineering



2

Product Innovation of the Year 2010, Pumps & Systems Award



3

2011 AHR Expo Innovation Awards Competition

6 awards for VIBXpert® II



► PRÜFTECHNIK Condition Monitoring GmbH designs, produces, sells and supports state-of-the-art product with international awards and worldwide acceptance



4

Breakthrough Product 2010, Processing Magazine Award



5

IMPOvation Product Technology Award, IMPO magazine



6

Product of the Year 2010

*** The Polish Maintenance Magazine – equivalent of the American "Plant Engineering"